



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1990, 2000, 2010

(\*BMI  $\geq 30$ , or about 30 lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.

# Obesity Trends\* Among U.S. Adults

## BRFSS, 1985

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1986

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1987

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1988

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1989

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1990

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1991

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)



Source: Behavioral Risk Factor Surveillance System, CDC.







# Obesity Trends\* Among U.S. Adults

## BRFSS, 1992

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1993

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1994

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1995

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1996

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1997

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1998

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 1999

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)



Source: Behavioral Risk Factor Surveillance System, CDC.







# Obesity Trends\* Among U.S. Adults

## BRFSS, 2000

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2001

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2002

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2003

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2004

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2005

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2006

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2007

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)



Source: Behavioral Risk Factor Surveillance System, CDC.







# Obesity Trends\* Among U.S. Adults

## BRFSS, 2008

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2009

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)





Source: Behavioral Risk Factor Surveillance System, CDC.



# Obesity Trends\* Among U.S. Adults

## BRFSS, 2010

(\*BMI  $\geq 30$ , or  $\sim 30$  lbs. overweight for 5' 4" person)



Source: Behavioral Risk Factor Surveillance System, CDC.

